

SCG Smartwood Inspiration Book










SCG Smartwood is a fiber cement wood substitute product with a quality innovation from superior SCG Portland Cement, Silica Sand, and Special Cellulose Fiber with high standardized processes (Autoclave Process). SCG Smartwood creates natural look, attractiveness, and confidence of use.

COLOR Superiority with

Color Loc technology locks every molecule firmly onto SCG Smartwood fiber with a special spraying technique developed especially for synthetic wood and submitted to a high temperature curing process to help lock the paint for long lasting color, so colored Smartwood stays naturally attractive, looks like real woods and lasts longer.









When it comes to decorating your house, ceilings deserve equal consideration if you want to complete the look of a room. SCG Smartwood Eaves Liner offers an elegant way to upgrade a ceiling to be a classic look with natural touches.



SHADING & FENCE













SCG Smartwood Fence offers natural wood looks with greater endurance, perfect for outdoor which against impact, moisture, and termite.

SCG Smartwood Shading gives variety of design, it can be used as sun louvers, beams and sun shading.









Revolutionise your house by the classic look with natural living touches and long lasting colors by SCG Smartwood Wood Plank, suitable for both internal and external areas.



DECORATIVE WALL









Bring your walls to life with modern and contemporary textured wall designs.

SCG Smartwood Decorative Wall Panel, Modeena series is paintable, eco-friendly and easy to install.




FLOOR



SCG Smartwood Floor Plank, a great natural warmth and texture under your feet, highly durable fiber cement flooring planks come in ultra-realistic woods, are moisture resistant, offer both basic floor with screw installation and clip lock system installation that no trace of screw.









OTHER APPLICATIONS











Enhance your places by numerous creative ideas and inspiration with SCG Smartwood.


It performs perfectly suitable for various application both exterior and interior design with fully function of high quality fiber cement attributes; moisture resistance and termite proof.

PRODUCT SIZE AND DIMENSION

Products Application	Name	Width (cm.)	Thickness (mm.)	Length (m.)	Weight (Kg./pc.)	Surface	Edges	Color/ Model	Usage quantity (pcs. /sq.m.)
	Colonial	20 (8")	8	3	7.20	Teak texture	Lining Skirt Board Edge	Ivory	1.90
	New England	20 (8")	8	3	7.20	Teak texture	1 Side Square Lining	Ivory	1.90
	Natural	15 (6") 20 (8")	8	3 4 3 4	5.40 7.20 7.20 9.70	Teak texture	Non tapered	Golden Teak	2.67 2.00 1.90 1.43
		15 (6") 20 (8")	8	3 4 3 4	5.40 7.20 7.20 9.70	Teak texture	Non tapered	Red Maka	2.90 1.90 1.43 2.67 2.00 1.90
	Classic	15 (6") 20 (8")	8	3 4 3	5.40 7.20 7.20 9.70	Teak texture	Non tapered	Ivory	2.67 2.00 1.90
		15 (6")	8	3 4	9.70 5.40 7.20 7.20	Teak texture	Non tapered	Red Oak	2.67 2.00 1.90 1.43 2.67 2.00 1.90 1.43 2.67 2.00 1.90 1.43 2.67 2.00 1.90
	Primer	20 (8") 15 (6")	8	3 4 3 4	5.40 7.20 7.20 9.70 5.40 7.20 7.20 9.70	Teak texture	Non tapered	Primer	1.43 2.67 2.00
		20 (8") 15 (6")	8	3 4 3 4	9:70 5:40 7:20 7:20 9:70	Timber	Non tapered	Uncolor	1.90 1.43 2.67 2.00
	Uncolored	20 (8") 15 (6")	8	3 3	9:70 5.40 7.20	(Deep wood) Teak texture	Non tapered	Uncolor	1.43 2.67 1.90
Wood Plank		20 (8") 23 (9") 23 (9")	6.5 7.5	3 3.66 3.66	8.30 9.60	Timber (Deep wood)	Non tapered	Uncolor	1.33 1.33
	Wow	15 (6")	8	3 4	5.40 7.20	Deep wood texture	Non tapered	Golden Teak Red Maka Red Pradoo	2.67
	Lap Siding V1	18 (7.2")	10	3	6.01	Smooth surface	Not Grooved	Uncolor	2.15
	Lap Siding V2	23.5 (9.4")	10	3	8.13	Smooth surface	4"Grooves	Uncolor	1.59
Decorative Wall Panel	Modeena M1	30	25	1.50	10.40	Smooth surface		Uncolor	2.38
	Modeena M2	30	25	1.50	11.40	Smooth surface		Uncolor	2.38
	Modeena M3	30	23	1.50	11.90	Smooth surface	, rome	Uncolor	2.38
Products Application	Name	Width (cm.)	Thickness (mm.)	Length (m.)	Weight (Kg./pc.)	Surface	Edges	Color/ Model	Usage quantity (pcs. /sq.m.)
Olia Pa	Skirt Board	10 (4")	12	3	5.00	Smooth surface	1 Side Skirt Board Edge	Primer	0.33 (pcs. /m.)
Skirt Board	Modern Skirt Board	10 (4")	12	3	5.40	Smooth surface	1 Side tapered	Primer	0.33 (pcs. /m.)
Shading Plank	Shading Plank	7.5 (3")	12	3	4.10	Smooth surface	1 Side tapered	Primer	4.44

Products	Application	Name	Width (cm.)	Thickness (mm.)	Length (m.)	Weight (Kg./pc.)	Surface	Edges	Color/ Model	Usage quantity (pcs./sq.m.)
Fascia Board			10 (4")	16	4	9.30			Primer	0.25 (pcs./m.)
	Fascia Board	15 (6")	16	4	14.20	Teak texture	1 Side tapered	Primer/Golden	0.25 (pcs./m.)	
			20 (8")	16	4	19.00			teak/Red Oak	0.25 (pcs./m.)
	Fascia Board Smooth	15 (6")	16	3	10.60	Smooth surface	1 Side tapered	Cream Primer -	0.33 (pcs./m.)	
		Surface	20 (8")	16	3	14.30	surrace	surface	Oroani i minor	0.33 (pcs./m.)
		Fascia Prompt	23.5 (9.4")	18	3	18.30	Smooth surface	1 Side tapered	Primer	0.33 (pcs./m.)
Eaves Filler	7	Eaves Filler	15 (6")	8	3	4.10	Teak texture		Primer	0.33 (pcs./m.)
Eaves Liner	1	Eaves Liner Tapered	7.5 (3")	8	3	2.70	Smooth surface	2 Side tapered	Uncolor /Brown Oak /Red Oak	4.44
	/		10 (4")	8	3	3.60	Smooth surface	2 Side tapered	Uncolor	3.33
		Wood Grain Wow	7.5 (3")	8	3	2.70	Deep wood texture	2 Side tapered	Golden Teak /Red Maka /Pradoo	4.44
		Grooving 3" Lining	30	8	3	9.10	Smooth surface	2 Side tapered	Uncolor /Brown Oak	1.11
		Eaves Liner Wood Grain	7.5 (3")	8	3	2.70	Deep wood texture	2 Side tapered	Uncolor	4.44
Ceiling Border		Ceiling Border	5.0 (2")	8	3	1.70	Smooth surface	1 Side tapered	Uncolor /Oak	0.33 (pcs./m.)
Fence Plank		Fence Plank	7.5 (3")	12	4	5.40	Teak texture 2 Side taper	2 Side tapered	Primer	3.33
			10 (4")	12	4	7.30				2.50
	/		10 (4")	16	4	9.70				2.50
Stair Plank		Decorative Stair Tread Plank	27.5 (11")	25	1.2	13.00	Smooth surface	1 Side tapered	Uncolor /Redwood	3.03
		Decorative Stair Riser Plank	18 (7.2")	16	1.2	5.30	Smooth surface	Squared Edge	Redwood	4.63
		Decorative Stair Plank Landing	15 (6")	25	3	17.00	Smooth surface	2 Side tapered	Cream Primer /Redwood	2.22
Floor Plank		T-Clip Floor Plank	20 (8")	25	3	22.60	Burr wood texture	2 Side tapered 도 글	Brown Oak /Natural Beech /Mahogany	1.67
	HH	Basic Floor	10 (4") 15 (6") 20 (8")	25 25 30	3 3 3	9.70 14.60 19.50	Burr wood texture	2 Side tapered	Cream Primer	3.33 2.22 1.67
		Decorative Floor	15 (6")	15	3	10.12	Burr wood texture	2 Side tapered	Cream Primer	2.22

SCG Building Materials Expert



WARNING

Do not use these products as building structures, or parts of a deck or for any purposes that are not advised by SCG. When installing these products, installers must follow every step and criteria provided in the instruction manual and use tools that meet specific standards of the product manufacturer. Do not eat or swallow. Avoid inhaling wood dust generated from sawing, tapering, drilling and sanding. Do not use in wet areas. These products should not be installed in areas that are higher than 50 cm. from



SCG Smartwood is designed to be used only in Thalland. Therefore, SCG does not take any responsibility for any damage caused through use of products outside of Thalland. As such, designers or supervisors or installers will be held accountable for any damage or problem that occurs. These products contain dangerous chemicals. Do not eat, swallow, or touch your eyes. Use protection enequipment that meets safe standards during tactical and technical operations. After the use, store it in a secure location and exep it out of children's reach. If experience skin irritation after touching he surface of the wood, wash the irritated area with clean water and seek medical help inglith away. If ear or swallow, awold ownthing, dirink plenty of water to ababe the chemicals, and pet medical help inglith away. All of the criteria for installation are of rudimentary steps for normal usage only. For more in depth specifications for installations and requirements for proper sites and conditions that materials can be used under, please read the standards of "allowable strength design" (E.I. *1015-40) and criteria for designing prescribed by the ministerial regulation, 6.8 E. \$252*, which is adopted from "Building Control Act" B.E. \$252*. Using the products in a manner that does not meet these criteria will directly and completely hold the contractor accountable. Our installation manuals are constantly updated and available on www.scpluildingmaterials.com

• Color shade may vary from real product due to production and printing proces

