

SCG Fiber Cement Roof Tile Prolon Series





Imperial Red Color and Imperial Brown Color

A premium roof that is full of modern elegance and an image of leadership that reflects you in all directions. Prolon Imperial Red Color and Imperial Brown Color are ready to change your perspective into the world of true luxury and beyond with the rounded corners of Prolon tiles that make your house look beautiful. Reveal another side of your identity through character, remarkableness, and prominence from every perspective.



Red Flash Color

Colorful with a variety of impressive patterns, Prolon Red Flash Color responds to the family life of city people in the new era with perfection in all aspects including outstanding, colorful, complete, and modern design. Improve your lifestyle to the new era and match all the rhythms of city life.



Brown Color

Attractive with character, Prolon Brown Color Roof is perfect for all styles of houses. Make your house beautiful and remarkable in all aspects.

Cocoa Color


Provide harmony with nature but full of prudence; Prolon Cocoa Color Roof makes your house look beautiful and suitable for various styles of houses of all eras.



Red Color

The immortality of Prolon Red Roof is the best of meticulousness in all details with perfect rounded corners for another level that reflects your image in all dimensions.






Orange Flash Color

Cross the barriers of your imagination in style. All styles of houses can be perfect with Prolon Orange Flash Color which catches the eyes from every angle. Fulfill modernity with all lifestyles and unlimited house designs. Ready to grab your attention with waves and pattern lines that are harmoniously beautiful.


SCG Fiber Cement Roof Tile, Prolon Series

Bright and beautiful colors, outstanding with unique curve design Safe from asbestos







Specification	Size: Width x Lenght (cm.)	
	50 x 120	50 x 150
Thickness (mm.)	5	5
Weight (kg./pc.)	6.6	8.3
Piece/ Sq.m.	2.2	1.7
Pitch (Degree)	20-40	20-40
Batten space (cm.)	100	130
Standard	TIS. 1407-2540	TIS. 1407-2540







- Designed to use for residential or high rise building with recommended height level from ground to roof of not more than 23 meters.
- Products are advisable to use with qualified equipment from direct manufacturer. Applications for other purposes are not recommended.
- During installation, PPE for high rise work and standard movement supporting devices are highly recommended.
- Eating and inhaling of the dust from drilling, grinding, shearing & washing the materials are prohibited.



- SCG Fiber cement roof are designed & suitable for countries with a tropical climate only. If use outside Thailand it should follow the standard in such country and should be direct responsibility of the designer and the construction supervisor.
- The installation should follow the installation manual and use only the standard equipment.
- Installation manual of this product is always updated. The designer, construction supervisor and installer shall verify that all methods being used are following the most updated. installation manual of this product. To verify they can visit our website: www.scgbuildingmaterials.com

MHB-S-R33-C004-6203 All content, design, and layout are Copyright © 2019, SCG Cement-Building Materials All Rights Reserved, Reproduction in whole or part in any form or medium without specific written permission is prohibited.



Email: contact@scg.com, www.scgbuildingmaterials.com